


SE 05 - Arm Rotation



stimulates mobility of shoulder girdle, elbow and hand joints

Place your hands on the knobs of the rotating discs and turn them alternating from the left to right or twisting them towards each other.

For a hand massage, place your palm flat on the disc and turn it.



Installation:

The device is delivered completely assembled and is screwed on top of the poured-in place foundation anchor (within the scope of supply). The Installation Guide can be found on www.saysu.de or upon request. Cover the ground anchor with filling material or with plastic covers (accessories).

For your draft we can supply 2D and 3D files.

Picture of the product may differ from original – subject to technical modification.



length:	1150 mm
width:	1000 mm
height:	1600 mm
floor space:	1,15 m ²
floor space required:	4115 x 4000 mm
volume:	1,84 m ³
weight:	26 kg
plastic parts:	Petilen YY S 0464 (blow moulding) RAL 5002 (ultramarine blue) or  RAL 2008 (bright red orange) 
pipe measurements:	diameter: 114 mm wall thickness: 3 mm 42 mm 2 mm
metal parts:	stainless steel

certificates: TÜV and GS certified according to PPP 55012:2010 (based on parts of DIN EN 1176, 1177, 957)


user age: children under 14 years only
under surveillance of parents

maximum user weight: 130 kg

safe distance: 1,50 m

drop height: < 0,6 m (possible underground see
DIN 79000:2012-05 Tab. 2 or
installation instructions)

safety system: none required



- strength
- endurance
- coordination
- mobility
- relaxation

mobility training of shoulder girdle, elbow and hand joints

function: rotation of the discs with the hands

effect: improvement of mobility and coordination, mobilization of the joints, relaxation

persons: 2 at the same time